

# 激光

(月刊)

第八卷 第十一期

(总第59期)

一九八一年十一月

## 目 录

- 反激光的理论分析..... 谭维翰 丁丽明 (1)  
高亮度电子束及其作用..... 王之江 徐至展 (8)  
CO<sub>2</sub>-N<sub>2</sub>-H<sub>2</sub>O 激光体系的振动弛豫过程..... 严海星 (11)  
玻璃中光感生双折射效应的研究  
..... 邓 和 张梅珍 李成富 (18)  
缓冲气体流动的 Cu/CuCl 蒸气激光器..... 汪永江等 (22)  
绿-红波段氙灯泵浦染料激光器  
..... 汤星里 赵梅村 许世忠 (26)  
Ag<sub>3</sub>AsS<sub>3</sub> 单晶中 10.6 微米讯号的上转换..... 杨经国等 (30)  
快速放电气体激光器用的 Blumlein 电路制备新工艺  
..... 刘殿友 郭 础 (34)  
声光锁模器件的最佳电学匹配  
..... 夏顺宝 吕福云 关信安 (37)  
波导激光器波导管精度的分析和测量  
..... 王明常 王悟成 陈杏凤 (43)  
0.5 米精度激光测距仪..... 周正文等 (46)  
欧姆接触最佳合金条件..... 解金山 (49)  
红宝石激光周边虹膜切除术..... 陆道平 (52)  
并联系横向激励大气压氮分子激光器(54) Nd<sup>3+</sup>:  
YAG 脉冲激光器输出能量的似饱和现象 (56)  
DH-GaAlAs/GaAs 激光二极管的一种可靠实用的  
键合方法 (58) 测量小激光束光斑尺寸的方法(59)  
  
He-Ne 激光治疗皮肤病 829 例临床疗效观察(60)  
He-Ne 激光治疗病毒性腮腺炎 601 例观察(60)  
CO<sub>2</sub> 激光治疗经验点滴(61) He-Ne 激光治疗顽  
固性肛瘻一例(62) 广州市 40 例激光工作者外周  
血淋巴细胞姐妹染色单体互换的观察报告(62)  
  
银微粒相位全息图和高稳定性减振台推广应用学习  
班(7) 激光若干基本问题(概念)学术讨论会在黄  
山召开(17) 激光器不稳定工作的一点分析(42)  
用针孔扫描方法测定 He-Ne 激光束的发散角(63) 低速瞬  
时转动马达调 Q 激光测距(64)

科学札记

激光医学

简讯

编 辑 《激光》编辑委员会  
(上海 8211 邮政信箱)  
(邮政编码: 201849)  
出 版 上海科学技术出版社  
印 刷 上海商务印刷厂  
国内发行 上海市报刊发行处  
国内订阅 全国各地邮局  
国外发行 中国国际书店  
(北京 399 信箱)

代号: 国内 4-201 定价: 0.33 元  
国外 M159  
沪刊第 080 号

# CONTENTS

- Theoretical analysis on backward-reflected laser light ..... *Tan Weihang, Ding Liming* (1)  
High brightness electron beam source and its effects ..... *Wang Zhijiang, Xu Zhizhan* (8)  
Vibrational relaxation processes in CO<sub>2</sub>-N<sub>2</sub>-H<sub>2</sub>O laser system ..... *Yan Haixing* (11)  
Investigation of laser beam induced birefringence effect in glasses .....  
..... *Deng He, Zhang Meizhen, Li Chengfu* (18)  
Cu/CuCl vapor lasers with flowing buffer gas ..... *Wang Yongjiang et al.* (22)  
A flash-pumped dye laser in green-red spectral range ..... *Tang Xingli, Zhao Meicun, Xu Shizong* (26)  
Parametric up-conversion of 10.6  $\mu\text{m}$  radiation in proustite ..... *Yang Jingguo et al.* (30)  
A novel method for manufacturing Blumlein circuit in fast discharge gas lasers .....  
..... *Liu Dianyou Guo Chu,* (34)  
Optimum electrical match of an acousto-optic mode-locker .....  
..... *Xia Shunbao, Lu Fuyun, Guan Xinan* (37)  
Analysis and measurement of waveguide tube precision of the waveguide lasers .....  
..... *Wang Mingchang, Wang Wucheng, Cheng Xinfeng* (43)  
A laser range-finder with a ranging accuracy of  $\pm 0.5\text{m}$  .....  
..... *Zhou Zhengwen et al.* (46)  
Optimum alloying condition in ohmic contact ..... *Xie Jingshan* (49)  
Peripheral iridectomy by ruby laser ..... *Lu Daoping* (52)

## SCIENCE NOTES

- A transversely excited atmospheric N<sub>2</sub> laser in parallel (54) Quasi-saturation phenomenon of output energy of Nd<sup>3+</sup>: YAG pulsed lasers (56) A reliable and practical technique for bonding DH-GaAlAs/GaAs laser diodes (58) A method for measuring small spot size of laser beams (59)

## LASER IN MEDICINE

- Clinical observation on He-Ne laser treatment of 829 dermatological cases (60) 601 cases of violent herpetic lesions cured with He-Ne laser (60) A bit of experience in CO<sub>2</sub> laser therapy (61) One case of chronic anal fistula treated with He-Ne laser (62) Observation of sister chromatid exchange in the peripheral blood lymphocytes in 40 cases of laser workers in Guangzhou (62)

## LETTERS

- Training course for spreading application of silver grain phase holograms and damping tables with high stability (7) Symposium on a number of basic problems (concepts) in laser held in Huangshan Mountain (17) operation of laser (42) Measurement of divergence angle of He-Ne laser beam by pinhole scanning (63) Analysis of the unstable Range-finding with a low speed transient rotating mirror Q-switched laser (64)

# LASER JOURNAL

(Monthly)

Vol. 8 No. 11

November 1981

Edited by: *Editorial Board, Laser Journal*

(P. O. Box 8211, Shanghai, China)

Published by: *Shanghai Press of Science and Technology*

Printed by: *Shang Wu Printing House, Shanghai*

Distributed by

Domestic: *Local Post Offices*

Foreign: *GUOJI SHUDIAN (P. O. Box 399, Beijing, China)*