

## 《中国激光》2007 年(第 34 卷,总第 361~372 期)总目次

文 章 名	期	总期	页
· 综述 ·			
卫星激光通信 I 链路和终端技术	1	361	3
卫星激光通信 II 地面检测和验证技术	2	362	147
基于视觉特性的真实影像再现技术进展及展望	4	364	451
飞秒激光微加工:激光精密加工领域的新前沿	5	365	595
室温稳定多波长光纤激光器技术的研究新进展	7	367	883
高功率固体激光系统中的“热像”效应	10	370	1315
金纳米微粒的光学性质及其在生物成像和光热疗法中的应用	11	371	1459
· 实验技术与元件 ·			
BBO 晶体 I 类相位匹配从可见光到近红外光宽带参量放大的带宽研究	1	361	21
高效率大功率全固态紫外激光器	1	361	29
基于 Littrow 结构的可调谐半导体激光器	1	361	33
1.5 kW 激光二极管抽运 Nd:YAG 薄片激光器	1	361	37
激光二极管抽运 Nd:YVO <sub>4</sub> /YVO <sub>4</sub> 复合晶体激光器	1	361	41
热畸变对单板条热容激光器输出的影响	1	361	45
二级级联拉曼光纤激光器的特性	2	362	156
基于饱和吸收镜的被动锁模光纤激光器	2	362	163
激光二极管抽运下的祖母绿晶体自由运转激光器	2	362	166
基于边缘探测技术的激光雷达系统设计	2	362	170
激光二极管侧抽运长方形 Nd:YVO <sub>4</sub> 激光晶体热分析	2	362	176
激光二极管端面抽运 Tm:YAG 激光器	2	362	181
种子注入固体激光相干探测实验研究	2	362	186
激光二极管纵向抽运 Nd:GSGG 全固化激光器的输出特性	2	362	191
YBCO 高温超导微带线的非平衡光响应及其恢复时长	2	362	195
激光飞行标刻运动跟踪技术	2	362	199
532 nm 碘分子光频标	2	362	203
大口径八边形钹玻璃片支撑系统的光机集成分析	3	363	307
利用 II 类相位匹配实现稳定倍频输出	3	363	313
离焦量对等离子体冲击波力学效应的影响	3	363	318
弯曲直径对多模光纤激光器输出性能的影响	3	363	323
基于本征正交分解基的实时波前重构方法	3	363	327
焦斑可调的透镜阵列均匀辐照光学系统	3	363	331
双调 Q 开关热退偏补偿全固态激光器	3	363	337
脉冲激光在水中激发声脉冲的光声能量转换效率	3	363	341
切换式双波长激发在掺镱和铒镱共掺复合式光纤激光器中的实现	3	363	345
基于光纤光栅法布里-珀罗腔的高效窄线宽光纤激光器	3	363	350
消除机械抖动激光陀螺闭锁误差的方法	3	363	354
激光二极管端面抽运 Nd:GdYVO <sub>4</sub> 晶体热效应分析及倍频研究	3	363	359
激光二极管双端抽运声光调 Q 高重复频率 Nd:GdVO <sub>4</sub> 激光器	4	364	461
调 Q 激光自触发斩波产生纳秒脉宽单脉冲激光	4	364	465
用于高功率双包层光纤激光器侧面耦合的对称夹层结构	4	364	470
增益开关型微片激光器的时间特性	4	364	475
改善激光陀螺输出特性的随机噪声注入方法	4	364	481
角锥棱镜腔 Cr <sup>4+</sup> :YAG 被动调 Q 内腔式光参量振荡器	4	364	485
梯度补偿法控温晶体的高功率绿光激光器	5	365	623
高功率横流 CO <sub>2</sub> 激光器的锥面反射镜谐振腔	5	365	628
低功率激光二极管抽运的室温运转 Yb:YAG 激光器	5	365	633

文 章 名	期	总期	页
基于棱镜实现三倍频谐波分离	5	365	637
980 nm 高功率 VCSEL 的光束质量	5	365	641
激光二极管抽运的 Nd:NYW/LBO 绿光激光器	5	365	646
全固态高输出功率单频 Nd:YVO <sub>4</sub> /KTP 激光器	6	366	739
利用高功率激光驱动冲击波进行金属材料状态方程实验测量	6	366	743
轴移不变性的发展及其在锁模腔设计中的应用	6	366	748
激光二极管阵列的窄线宽、可调谐输出	6	366	751
高功率掺镱光纤激光器输出特性的实验研究	6	366	755
355 nm 脉冲激光诱导等离子体开关削波	6	366	759
激光直写法制备条形光波导中的功率密度阈值	6	366	765
板条热容激光器的二维热特性	6	366	771
外腔半导体激光器设计与高次谐波稳频	7	367	895
端面抽运全固态皮秒被动锁模激光器	7	367	901
采用扫描振镜方式的快调谐 TEA CO <sub>2</sub> 激光器	8	368	1027
一种改进型金属-半导体-金属光电探测器数学模型	8	368	1032
808 nm 大功率无铝有源区非对称波导结构激光器	8	368	1037
激光二极管抽运复合腔和频连续波 589 nm 激光器	8	368	1043
激光二极管抽运全固态 355 nm 连续波紫外激光器	8	368	1048
激光二极管侧面抽运高功率 1338 nm Nd:YAG 激光器	8	368	1051
垂直腔面发射激光器中选择性氧化工艺稳定性研究	8	368	1055
一种用于激光二极管阵列快慢轴同时准直的新型准直器	8	368	1059
区域指导的激光水下图像插值算法	8	368	1064
激光二极管抽运的国产 Yb:YAG 陶瓷激光器	9	369	1171
78 fs 被动锁模掺 Er <sup>3+</sup> 光纤激光器	9	369	1174
83 W 659.5 nm 全固态红光激光器	9	369	1178
高透腔面大功率 650 nm 红光半导体激光器	9	369	1182
基于 Pulser/Sustainer 技术的可调谐长脉冲 TE CO <sub>2</sub> 激光器	9	369	1185
热退偏损耗完全补偿的千赫兹电光调 Q Nd:YAG 激光器	9	369	1190
端面抽运高功率连续单频 1064 nm Nd:YVO <sub>4</sub> 环形腔激光器	9	369	1194
基于纵模拍频控制的激光稳频技术	9	369	1198
焊料空隙对条形量子阱激光器温度分布的影响	9	369	1203
保偏光纤激光器的实验研究	9	369	1208
熔石英棒和光纤构成的新型复合型相位共轭镜	9	369	1212
一种激光折叠腔稳定性分析及设计的新方法	9	369	1217
光栅拼接旋转偏差实时监测调节实验	9	369	1222
端面抽运固体激光器中晶体的热形变	10	370	1323
塞曼双频激光器的优化设计	10	370	1329
掺镱光纤激光器的多波长振荡特性	10	370	1333
激光二极管抽运的主振荡级与功率放大器结构 Nd:YVO <sub>4</sub> 激光器	10	370	1338
基于偏振复用技术的激光二极管光纤耦合方法	10	370	1343
用于激光成像雷达和被动红外成像复合的目标分类仿真	10	370	1347
光纤法-珀传感系统高分辨率复用信号解调方法	10	370	1353
分布反馈光纤激光器模式特性分析	10	370	1358
高精度微结构聚合物光栅的复制技术	10	370	1363
一种新型有源镜激光器定标放大实验	10	370	1367
激光二极管端面抽运 Nd:YVO <sub>4</sub> 固体激光器热致光束畸变非对称的平衡	10	370	1371
密集波分复用激光光源的声光偏频无调制频率锁定	10	370	1375
全光纤结构的脉冲光纤放大器	10	370	1379
输出功率 50 W 的脉冲染料激光放大器	11	371	1466
多单元半导体激光器的高亮度光纤耦合输出	11	371	1472
脉冲激光二极管端面抽运全固态激光器热效应瞬态过程	11	371	1476
双棒串接补偿热致双折射效应激光谐振腔	11	371	1483
23.6 W 高效率 2 μm 激光器	11	371	1488

文 章 名	期	总期	页
掺铋双包层光纤放大器的放大特性	11	371	1492
纳米 Si 镶嵌 SiN <sub>x</sub> 薄膜实现 Nd:YAG 激光器被动锁模	11	371	1498
采用半导体光放大器的多波长光纤环形激光器	11	371	1502
用大模场光子晶体光纤获得高功率飞秒激光	12	372	1603
大功率半导体激光束非球面准直系统的优化设计	12	372	1607
全固态频移反馈激光器的谱宽稳定特性	12	372	1612
一种制作掺 Yb 相移光纤光栅激光器的实验方案	12	372	1617
离焦量对空气中纳秒激光打孔效率的影响	12	372	1621
大模场面积光纤激光器拉锥法模式选择	12	372	1625
879 nm 直接抽运提高 Nd:GdVO <sub>4</sub> 激光器性能	12	372	1629
基于正交频率变换的高功率蓝绿全固态激光器	12	372	1634
一种新型高峰值功率激光注入光纤耦合技术	12	372	1639
· 激光物理与激光化学 ·			
单纵模多环形腔掺铒光纤激光器及其稳定性	1	361	50
偏振选择互注入半导体激光器的混沌同步	1	361	55
电子在多层膜摇摆器中的辐射	1	361	61
周期极化掺镁铈酸锂晶体的光学参量振荡	2	362	209
周期性极化晶体 RbTiOAsO <sub>4</sub> 的允许参量分析	2	362	214
K9 玻璃与熔石英玻璃中纵向受激布里渊散射的脉宽压缩和能量提取效率	2	362	219
啁啾对双曲正割脉冲光束空间强度分布的影响	2	362	225
增益随机散射介质中的非相干辐射	3	363	364
环形非稳腔倒向波抑制镜抑制效果的数值模拟	3	363	370
气动光学畸变波前的本征正交分解和低阶近似	4	364	491
提高激光标线器线斑光强均匀性的高阶模法	4	364	496
二维磁性光子量子阱对共振隧穿光谱特性的影响	5	365	649
改进的高功率飞秒脉冲系统理论研究	5	365	655
倍频注入法实现倍频稳定输出的模拟研究	5	365	661
杂质吸收对一维光子晶体缺陷模的影响	6	366	777
与光谱色散平滑技术联用的衍射光学器件的优化设计	6	366	781
多级级联拉曼光纤激光器的理论分析与优化设计	6	366	786
被动调 Q 固体激光器上转换效应的数值模拟	6	366	791
基于充压柱壳损伤形态的靶面激光参数估计	6	366	797
大气中激光烧蚀铝靶冲量耦合系数实验研究	6	366	804
超高斯光脉冲自相关特性	7	367	908
MgO:LiNbO <sub>3</sub> 晶体中超短中红外非共线相位匹配光参量放大过程角度的优化选择	7	367	915
消逝波激励及增益耦合的柱形微腔回音廊模激光辐射	7	367	920
可光纤集成的相干态量子身份认证系统	7	367	924
强激光诱导 NO 分子的多光子光声光谱	8	368	1069
纳秒无衍射贝塞耳光脉冲参量的分析与测定	8	368	1073
结构无序对 8 重准晶光子晶体带隙特性的影响	8	368	1077
预群聚电子束团辐射特性	8	368	1081
双抽运光参量放大的增益特性	8	368	1086
用于高能拍瓦激光系统前端的周期极化 LiNbO <sub>3</sub> 光参量放大	8	368	1092
铈酸锂晶体电子结构和光学性质计算	9	369	1227
横向抽运染料激光振荡器效率分析	9	369	1232
Cs(6P) 激发态的辐射及与 He 碰撞的能量转移	9	369	1237
格兰-泰勒棱镜的改进设计及其特性	10	370	1383
热容激光器冷却过程的热力学数值模拟	11	371	1507
正常色散光纤放大器中超短脉冲的自相似演化条件	11	371	1512
低阈值宽调谐的内腔调 Q Nd:YVO <sub>4</sub> /PPLN 光学参量产生	12	372	1643
· 全息技术与信息处理 ·			
基于同轴菲涅耳全息标识印刷防伪技术	3	363	402
LiNbO <sub>3</sub> :Fe:Rh 晶体近红外非挥发全息记录	10	370	1398

文 章 名	期	总期	页
利用双色存储中的振荡阶段实现等时曝光复用记录	10	370	1403
利用数字全息和相位恢复算法实现信息加密	10	370	1408
全息干板的时间响应特性	10	370	1413
全息记录材料光致聚合物的收缩率	11	371	1543
一种基于散斑结构的全息显示屏	12	372	1665
数字全息显微系统的成像分辨率分析	12	372	1670
<b>· 光束传输 ·</b>			
溶胶-凝胶光波导环形谐振腔的挥发性有机化合物传感特性	2	362	229
液晶空间光调制器的斜入射特性	3	363	374
光束漂移误差与长曝光光斑光束质量 $\beta$ 因子的关系	6	366	809
双光栅成像中的汇合级光能量	8	368	1096
均匀照明用衍射光学器件的空间频域优化设计方法	10	370	1388
沙尘暴多重散射对激光脉冲传输的影响	10	370	1393
利用二维光谱色散和透镜阵列改善靶面辐照均匀性	11	371	1533
轴棱锥椭圆加工误差产生畸变无衍射光束的修正	11	371	1538
<b>· 光通信及其元器件 ·</b>			
色散补偿方式对相位调制系统中相位噪声的影响	1	361	64
卫星光通信终端 CCD 成像光斑弥散圆尺寸选择	1	361	69
光纤传输系统中基于相位预调制的信号整形	1	361	74
基于双面反射镜的 $N \times N$ 光开关的特性分析和实验研究	2	362	234
光纤的紫外曝光引起的背景损耗	2	362	239
光纤聚合物电光调制器电极对波导特性的影响	3	363	379
与偏振相关和无关的 $4 \times 4$ 自由空间光开关	3	363	383
空间光通信中平台振动对误码率影响的抑制	4	364	499
一种新的二维光正交码及其性能分析	5	365	667
光子晶体波导可调光衰减器	5	365	671
基于微结构光纤的 10 GHz 超过 1100 信道的平坦超连续谱光源	5	365	675
升余弦变迹布拉格光纤光栅中的调制不稳定性	7	367	930
基于相位调制器产生光毫米波的全双工光纤无线通信系统	7	367	935
利用半导体光放大器和滤波器组合实现高速波长转换和码型转换	7	367	940
恶化非归零码信号的全光时钟恢复	8	368	1101
双光栅耦合器型上下话路滤波器的设计和实验	8	368	1106
10 GHz 超低抖动光短脉冲源	9	369	1241
弱湍流下 Turbo 码编码数字脉冲间隔调制差错性能分析	9	369	1245
基于级联半导体光放大器实现全光逻辑与门的改进方案	11	371	1517
具有多个波长通道的光纤光栅相位编/解码器	11	371	1522
多域光网络中一种支持区分可靠性的通路保护算法	12	372	1648
无线光通信中的定长数字脉冲间隔调制	12	372	1655
<b>· 光纤元件 ·</b>			
准分布式光纤表面等离子体波传感器	2	362	243
空芯光子晶体光纤纤芯中的功率分数及其带隙特性	2	362	249
截面折变非对称型长周期光栅高温应变特性	3	363	389
单驱动二维扫描光纤探头研制	3	363	393
渐逝波耦合半导体量子点光纤放大器	3	363	398
基于扫描激光器和光放大的 100 km 光纤布拉格光栅传感系统	5	365	680
单偏振单模微结构聚合物光纤的设计	5	365	684
用遗传算法从时延特性重构光纤光栅参数	5	365	688
谐振式光纤陀螺数字闭环系统锁频技术	6	366	814
光子晶体光纤的温度特性数值模拟	7	367	945
全光纤热光型可变光衰减器	8	368	1110
一种提高 $\lambda/4$ 相移光纤光栅开关性能的方法	9	369	1250
基于沃尔泰拉理论的集总光纤非线性噪声补偿	11	371	1527
飞秒激光加工的微型光纤法布里-珀罗干涉传感器	12	372	1660

文 章 名	期	总期	页
<b>· 薄膜 ·</b>			
热致 NiO <sub>x</sub> 薄膜的结构和光学性质变化	1	361	125
原子层热电堆材料的激光感生热电电压	1	361	130
脉冲激光沉积法制备氧化锌薄膜	4	364	534
聚合物复合薄膜 DR13/PMMA 的制备及其光学特性	7	367	983
真空室内金属杂质污染对光学薄膜性能的影响	7	367	988
利用脉冲准分子激光在 ZnS 上沉积类金刚石薄膜	7	367	992
增透膜的遗传算法设计	9	369	1271
两种偶氮苯化合物 LB 膜的光谱与非线性光学特性	9	369	1276
温度对飞秒激光沉积 ZnO/Si 薄膜的结构和性能的影响	9	369	1282
角度调谐滤光片的膜系优化设计算法	9	369	1287
沉积速率对热舟蒸发 LaF <sub>3</sub> 薄膜性能的影响	11	371	1557
<b>· 材料 ·</b>			
铬镱共掺磷酸盐玻璃的激光性质	2	362	272
含偶氮苯侧链型聚酰亚胺的合成及光致变色性能	4	364	525
超分辨近场结构中二元共晶合金掩膜的工作机制	4	364	530
溶胶-凝胶和聚合物固体激光染料特性	5	365	707
Tm:Yb:KY(WO <sub>4</sub> ) <sub>2</sub> 晶体蓝光上转换	5	365	711
CuO, CuCl 对 P <sub>2</sub> O <sub>5</sub> -ZnO-Na <sub>2</sub> O 玻璃性质的影响	8	368	1146
磷酸盐激光玻璃的化学机械抛光	8	368	1151
泡生法生长 Ho <sup>3+</sup> , Yb <sup>3+</sup> 双掺 KGd(WO <sub>4</sub> ) <sub>2</sub> 晶体及其光谱性能	10	370	1436
Yb <sup>3+</sup> 对掺铈磷酸盐玻璃红外和上转换发光的影响	12	372	1688
<b>· 测量技术 ·</b>			
旋转孔径频闪散斑干涉法用于缺陷检测	1	361	78
基于干涉原理和图像处理方法的浓度变化分布测量	1	361	82
基于神经网络的分振幅光偏振仪的数据处理	1	361	89
双光栅纯转动拉曼测温激光雷达单色仪的光学设计	1	361	94
傅里叶变换轮廓术新理论研究	1	361	99
一种用于干涉型光纤传感器动态相移测量的 J <sub>0</sub> -J <sub>1</sub> 法	1	361	105
基于光纤端面回波的流体折射率传感器	1	361	109
激光双截面转速波动法监测转轴动态扭矩	1	361	113
互补金属氧化物半导体图像传感器亚像元细分精度实验研究	1	361	118
激光束质量实时测量技术	2	362	255
线结构光双传感器测量系统的标定方法	2	362	259
基于低速面阵 CCD 的正弦相位调制干涉测量	2	362	265
采用原子滤光的激光雷达白天探测技术	3	363	406
反常衍射近似在测量圆柱形粒子粒径分布中的应用	3	363	411
用于测量激光烧蚀下靶材获得冲量的方法	3	363	417
平行平板角位移干涉测量仪的优化设计	3	363	422
基于高频微波技术的分布式光纤传感器布里渊散射信号检测	4	364	503
探测受声波调制的激光漫反射回波信号	4	364	507
侧面抽运板条激光介质动态热畸变测量方法	4	364	511
基于主动条纹偏折术的透明相位物体波前测量方法	4	364	515
一种测量光刻机工件台方镜不平度的新方法	4	364	519
加速度对激光双频干涉仪测量误差的影响	5	365	694
水下目标光学隐蔽深度遥感获取方法	5	365	699
激光多普勒振动计用于水下声光通信	5	365	703
一种新的直线型 Sagnac 光纤干涉仪管道泄漏检测系统及其定位技术	6	366	820
基于光谱光学相干层析技术的膜系反射光谱测量	6	366	825
反射率对入射角扫描测定单轴晶体的折射率	6	366	829
基于光学相干层析成像的投影折射率计算机层析成像系统研制	6	366	833
一维光子晶体的应变测量	6	366	837
对称共路外差干涉法测量硬盘磁头飞行高度瞬态调制	6	366	841

文 章 名	期	总期	页
基于小波去噪和去卷积的半导体光放大器增益系数谱测量方法	6	366	846
波片相位延迟的精确测量及影响因素分析	6	366	851
宽谱连续波复合衰荡光腔技术测量高反射率	6	366	857
基于多特征空间的三维目标离面旋转识别	7	367	952
Sagnac 光纤水听器锯齿波相位偏置技术	7	367	957
模式失配对连续波腔衰荡技术测量的影响	7	367	962
频谱泄漏对正弦相位调制干涉测量精度的影响	7	367	967
不同波长下表面等离子体共振传感器的灵敏度	7	367	972
基于参数域映射及 B 样条插值的三维重构方法	7	367	977
高斯分解法研究浮游植物荧光激发光谱	8	368	1115
会聚光横向剪切移相干涉	8	368	1120
一种基于平板横向剪切干涉的角位移测量方法	8	368	1125
一种检测光刻机激光干涉仪测量系统非正交性的新方法	8	368	1130
基于反射式达曼光栅的频率分辨光学开关装置	8	368	1136
应用于珍珠检测的光学相干层析技术	8	368	1140
一种使用双棱镜的动态小角度测量方法	9	369	1255
用于激光等离子体诊断系统的长焦深透镜	9	369	1260
溶胶-凝胶条波导 Sagnac 环的乙醇蒸气传感特性	9	369	1263
消除正弦相位调制干涉仪中光强调制影响的全光纤干涉仪	9	369	1267
干涉型光纤传感器相位漂移的无源解决方法	10	370	1417
星载激光测距仪的高精度时间间隔测量单元	10	370	1422
电吸收调制激光器集成芯片的高频测试	10	370	1427
固体激光器腔型结构对热透镜焦距测量的影响	10	370	1431
基于兴趣点伪泽尼克矩的图像拼接	11	371	1548
基于基频分量消光的 1/4 波片快轴标定方法	11	371	1553
双曲面对称体红细胞模型的光散射虚拟仿真	12	372	1676
同步移相干涉的测量性能	12	372	1682
· 激光应用 ·			
光纤激光精密切割系统的研制及其应用	1	361	135
由激光靶冲量耦合实验结果判定激光支持爆轰波点燃阈值	1	361	139
原位生成 TaC 颗粒增强镍基激光熔覆层	2	362	277
K418 合金激光熔覆 Ni-Cr-Ti-Al 涂层的组织研究	2	362	283
金属板料激光喷丸成形理论研究与数值模拟	2	362	288
低功率密度激光合成金刚石的相变机制	2	362	295
凝固条件对 $\gamma$ -Ni/Mo <sub>2</sub> Ni <sub>3</sub> Si 合金凝固组织的影响	3	363	427
高功率 CO <sub>2</sub> 激光焊接三明治金刚石锯片	3	363	432
钛合金表面激光熔覆 (Ti+Al/Ni)/(Cr <sub>2</sub> O <sub>3</sub> +CeO <sub>2</sub> ) 复合涂层组织与耐磨性能	3	363	438
激光快速成形过程中熔池形态的演化	3	363	442
基于多传感器融合的激光焊接熔透状态的识别	4	364	538
旋转气流控制激光切割特种钢薄板	4	364	543
AZ91D 镁合金表面激光熔覆 Zr-Cu-Ni-Al/TiC 复合粉末的组织与磨损	4	364	549
激光烧蚀制备按尺寸自然分离的纳米 Si 晶粒	4	364	555
激光熔化沉积 $\gamma$ /NiMo 近共晶合金的组织与耐磨性	4	364	559
大功率激光作用下小孔形成数值模拟	4	364	564
高功率 CO <sub>2</sub> 激光钎焊金刚石颗粒	4	364	569
曲轴激光淬火工艺	4	364	574
土壤中微量重金属元素 Pb 的激光诱导击穿谱	4	364	577
飞秒激光诱导波纹状微突起结构	5	365	715
利用误差逆传播神经网络法识别几种毒品的太赫兹光谱	5	365	719
利用 CO <sub>2</sub> 激光预处理提高熔石英基片的损伤阈值	5	365	723
激光喷丸后板料表面微观形貌的可视化数值研究	5	365	728
金属板料激光预应力复合的喷丸成形	6	366	861
高功率激光焊接船板的组织性能	6	366	866

文 章 名	期	总期	页
激光热处理对化学沉积 Ni-P 合金薄膜性能的影响	6	366	871
激光快速成形技术制作纯钛基底冠	6	366	876
纳米复合镀 Al <sub>2</sub> O <sub>3</sub> 层激光强化	7	367	998
脉冲激光毛化加工的计算机流体动力学数值模拟	7	367	1004
超短脉冲激光对无机硅材料的损伤	7	367	1009
激光快速成形工艺参数对沉积层的影响	7	367	1014
高功率激光熔凝 AZ91HP 镁合金组织和性能	7	367	1019
飞秒激光制备阵列孔金属微滤膜	8	368	1155
激光表面重熔对 LY12CZ 性能的影响	8	368	1159
激光重熔层稀释区与熔覆区界面区域的组织结构	9	369	1292
金属玻璃飞秒激光烧蚀特性	9	369	1297
不同激光热源模式下薄板弯曲特性数值模拟	9	369	1303
空心叶片激光快速成形过程的温度/应力场数值模拟	9	369	1308
碳化硼厚板的激光切割工艺及其机制	10	370	1441
激光窄条喷丸成形的实验研究	10	370	1446
激光等离子体冲击波清洗中的颗粒弹出移除	10	370	1451
黄铜-低碳钢异种金属激光深熔钎焊	11	371	1562
激光微细熔覆快速制造微加热器阵列	11	371	1567
集成化激光制造系统的轴件焊接控制工艺	11	371	1571
一维热应力模型在调 Q 短脉冲激光除漆中的应用	11	371	1577
脉冲激光烧蚀法制备 Ag 纳米粒子胶体	11	371	1582
脉冲激光弯曲成形技术中硅片表面的形貌分析	11	371	1589
激光沉积制备 Al <sub>15</sub> -Nb <sub>3</sub> Al/B <sub>2</sub> 叠层金属间化合物复合材料	12	372	1694
采用区域选择激光熔化法制造铝合金模型	12	372	1700
大口径非球面镜加工建模与控制技术	12	372	1705
TA2 钛合金表面激光熔覆 Ni 基 Tribaloy 700 涂层	12	372	1710
铝合金激光-钨极氩弧双面焊的焊接特性	12	372	1716
扫描次数对钢板激光弯曲成形影响的模拟	12	372	1721
CO <sub>2</sub> 激光焊接车身拼焊板	12	372	1726
· 激光医学与生物学 ·			
激光蚀除生物组织的影响因素	2	362	300
采用空间分辨漫反射测定胃组织光学特性	4	364	582
用于牙科植入体的激光快速成形纯钛性能研究	4	364	588
心血管支架的光纤激光切割工艺	5	365	733
半导体激光防护小麦幼苗紫外线-B 辐射损伤的作用	8	368	1163
He-Ne 激光对增强 UV-B 辐射小麦细胞损伤及修复效应	11	371	1594
眼科准分子激光实时监控能量计	12	372	1732
· 简讯 ·			
国产 Yb:YAG 透明陶瓷实现激光输出	1	361	60
171 W, 1.3 μm 调 Q 准连续全固态激光器	2	362	162
激光二极管抽运 Tm:YAP 激光器获得 5 W 连续波输出	2	362	190
加压光折变晶体中屏蔽暗空间孤子的自偏转特性	3	363	447
双倍密度光栅的飞秒压缩技术	4	364	568
Cr <sup>2+</sup> :ZnSe 激光晶体在中红外波段获得瓦级输出	4	364	587
国产 Nd:YAG 透明陶瓷实现 10.0 W 激光输出	5	365	660
6 kW 高效、高功率全固态连续波激光器	7	367	900
实现 2 μm 固体激光器的注入锁定	8	368	1031
高功率深紫外 177.3 nm 激光倍频产生	9	369	1231
激光二极管抽运超短长度 Er <sup>3+</sup> /Yb <sup>3+</sup> 共掺磷酸盐玻璃光纤激光器	9	369	1254
高功率掺镱双包层光纤飞秒脉冲放大器	10	370	1421
60 倍高增益钕玻璃放大器	10	370	1456
新型自倍频激光器实现双波长锁模运转	11	371	1600
光抽运垂直外腔面发射半导体倍频绿光激光器	12	372	1736

文 章 名	期	总期	页
第八届全国激光加工学术会议在广州召开	1	361	41
第二届光学期刊合作与发展研讨会在上海召开	8	368	1063
第十八届全国激光学术会议在哈尔滨召开	9	369	1202
中国科学院上海光学精密机械研究所第四届光学设计高级讲习班圆满谢幕	11	371	1547
光学前沿——2008'激光技术论坛	12	372	封三
《中国激光》2007年(第34卷,总第361~372期)总目次	12	372	I
作者索引	12	372	XV

**Annual Cumulative Contents of Volume 34,  
Chinese Journal of Lasers (2007)**

	No.	Cum. No.	Page
<b>• Review •</b>			
Laser Communications in Space I Optical Link and Terminal Technology	1	361	3
Laser Communications in Space II Test and Verification Techniques on the Ground	2	362	147
New Progress and Prospect of Realistic Image Rendition Based on Visual Characteristics	4	364	451
Femtosecond Laser Micromachining: Frontier in Laser Precision Micromachining	5	365	595
Progress in Room-Temperature Stable Multi-Wavelength Fiber Laser Technologies	7	367	883
Hot-Image Effects in High-Power Solid-State Laser Systems	10	370	1315
Optical Properties of Gold Nanoparticle and Its Application in Biological Imaging and Photothermal Therapy	11	371	1459
<b>• EXPERIMENTAL TECHNIQUES AND ELEMENTS •</b>			
Investigation of Spectral Bandwidth of BBO- I Phase Matching Noncollinear Broadband Optical Parametric Amplification from Visible to Near-Infrared	1	361	21
High Efficiency and High Power All-Solid-State Ultraviolet Laser	1	361	29
Construction of the Tunable Diode Laser Based on Littrow Configuration	1	361	33
1.5 kW Laser Diode-Pumped Nd:YAG Disk Laser	1	361	37
Laser Diode-Pumped Nd:YVO <sub>4</sub> /YVO <sub>4</sub> Composite Crystal Laser	1	361	41
Thermal Distortion Influence on Single-Slab Heat Capacity Laser Output	1	361	45
Characteristics of a Two Cascaded Raman Fiber Laser	2	362	156
Passively Mode-Locked Fiber Laser with a Semiconductor Saturable Absorber Mirror	2	362	163
Free Running Emerald Laser Pumped by Laser Diode	2	362	166
Lidar System Design Based on Brim Detecting Technology	2	362	170
Thermal Analysis of Rectangular Nd:YVO <sub>4</sub> Crystal by Laser Diode Side-Pumped	2	362	176
Experimental Investigation of Laser Diode End Pump Tm:YAG Laser	2	362	181
Injection Seeding Nd:YAG Laser and Its Application in Heterodyne Detection	2	362	186
Output Characteristics of Laser Diode End-Pumped Nd:GSGG All-Solid-State Laser	2	362	191
Nonequilibrium Optical Response and Recover Time of High Temperature Superconductor Microstrip	2	362	195
Motion-Tracing Methods in Laser Flying Mark System	2	362	199
532 nm Iodine Molecular Optical Frequency Standards	2	362	203
Integrated Optomechanical Analysis of Large Octagonal Nd:glass Support System	3	363	307
Research on the Method to Stabilize Second Harmonic Generation Using Type II Phase Matching	3	363	313
Influence of Defocusing Distance on Mechanical Effect of Plasma Shock Wave Induced by Laser	3	363	318
Influence of Bending Diameter on the Output Capability of Multimode Fiber Laser	3	363	323
Real-Time Wavefront Construction Approach Based on Proper Orthogonal Decomposition Basis Function	3	363	327
Improved Lens Arrays Optical System with Controllable Focus Width for Uniform Irradiation	3	363	331
Novel Double Q-Switcher Structure for Thermal Induced Depolarization Compensation in All-Solid-State Laser	3	363	337
Laser Acoustic Energy Conversion Efficiency Induced by Pulse Laser in Water	3	363	341
Simple Realization of Switchable Two-Wavelength Yb-Fiber and Er/Yb-Fiber Hybrid Laser	3	363	345
High Efficient Narrow Linewidth Fiber Laser Based on Fiber Grating Fabry-Perot Cavity	3	363	350
A New Method for Eliminating the Lock-in Error of Mechanically Dithered Ring Laser Gyro	3	363	354
Characteristics of Laser Diode End-Pumped Laser Crystal on Thermal Effect and Second Harmonic Generation	3	363	359
Laser Diode Double-End-Pumped Acousto-Optically Q-Switched Nd:GdVO <sub>4</sub> Laser with High Repetition Rate	4	364	461
Producing Mono-Pulse Laser of Nanosecond Burst-Length by Cutting-Apart from Q-Beam Self-Triggered	4	364	465
Design of a Dielectric-Metal-Dielectric Sandwich Structure for Efficient Side-Coupling of High Power Double-Clad Fiber Lasers	4	364	470
Temporal Characteristics of the Gain-Switched Microchip Laser	4	364	475
A Method for Improving the Performance of Ring Laser Gyro by Injecting the Multi-Cycles Step Noise with White Noise	4	364	481
Passively Q-Switched Intracavity Optical Parametric Oscillator with Corner-Cube Resonator	4	364	485
Grads-Compensating Temperature Control for Crystal in High Power Green Light Laser	5	365	623
90° Conical Reflector Resonator for High Power Transverse Flow CO <sub>2</sub> Laser	5	365	628
Low Power Laser Diode-Pumped Solid-State Yb:YAG Laser at Room Temperature	5	365	633

	No.	Cum. No.	Page
Prism Based Third Harmonic Splitter	5	365	637
Beam Quality of 980 nm High Power Vertical-Cavity Surface-Emitting Laser	5	365	641
Laser Diode Pumped Nd:NYW/LBO Green Laser	5	365	646
All-Solid-State High-Efficiency High-Power Nd:YVO <sub>4</sub> /KTP Laser of Single-Frequency Operation	6	366	739
Experimental Measurements on Equation of State of Gold by Using High Power Laser Driving Shocks	6	366	743
Development of Axial-Transfer Invariability and Its Application in Mode-Locking Cavity Design	6	366	748
Linewidth-Narrowed, Tunable Laser Diode Array	6	366	751
Experimental-Research on Output Characteristics of High Power Yb <sup>3+</sup> -Doped Double Clad Fiber Laser	6	366	755
Laser Induced Plasma Shutter for Wave Clipping of 355 nm Radiation	6	366	759
Thresholds of Laser Power Density in Fabricating Strip Optical Waveguides by Laser Direct Writing Method	6	366	765
Two-Dimensional Thermal Effects in Crystal Slab Heat Capacity Laser	6	366	771
Design of 780 nm External Cavity Semiconductor Laser and Higher Harmonic Frequency Stabilization	7	367	895
LD End-Pumped All-Solid-State Picosecond Passively Mode-Locking Lasers	7	367	901
Rapidly Tuned TEA CO <sub>2</sub> Laser by a Scanning Mirror	8	368	1027
Improved Numerical Model of Metal-Semiconductor-Metal Photodetector	8	368	1032
808 nm High-Power Lasers with Al-Free Active Region with Asymmetric Waveguide Structure	8	368	1037
Laser Diode-Pumped Continuous-Wave 589 nm Laser with Doubly Resonant Intracavity Sum-Frequency Mixing	8	368	1043
Laser-Diode Pumped All-Solid-State Continuous-Wave Ultraviolet Laser at 355 nm	8	368	1048
Laser Diode Side-Pumped High Power 1338 nm Nd:YAG Laser	8	368	1051
Study on Stability of Selective Oxidation in Vertical Cavity Surface Emitting Laser	8	368	1055
Novel Collimator for Simultaneous Collimation of Fast and Slow Axis of Laser Diodes Array	8	368	1059
Area-Directed Interpolation Algorithm for Underwater Laser Image	8	368	1064
Laser Diode-Pumped Domestic Yb:YAG Ceramic Laser	9	369	1171
78 fs Passively Mode-Locked Er <sup>3+</sup> -Doped Fiber Ring Laser	9	369	1174
All-Solid-State Red Laser with 83 W Output Power at 659.5 nm	9	369	1178
High Power 650 nm Red Semiconductor Laser with Transparent Window	9	369	1182
Tunable Long Pulse TE CO <sub>2</sub> Laser with Pulser/Sustainer Excitation	9	369	1185
1 kHz Electro-Optic Q-Switched Nd:YAG Laser with Complete Compensation of Thermally Induced Depolarization Loss	9	369	1190
Laser Diode End-Pumped, High-Power Continuous-Wave Single-Frequency Nd:YVO <sub>4</sub> Ring Laser at 1064 nm	9	369	1194
Laser Frequency Stabilization Based on Control of Intermodulation Beat Note	9	369	1198
Steady-State Temperature Distribution Changes of Stripe Quantum-Well Laser Caused by Solder Void	9	369	1203
Experimental Study on Polarization-Maintaining Fiber Laser	9	369	1208
New Combined Phase Conjugator Consisting of Fused Silicon Rod and Optical Fiber	9	369	1212
A Novel Method for Stability Analysis and Design of Laser Folded Cavity	9	369	1217
Experiment of Real-Time Monitoring and Adjusting of Rotation Error about Tiled Gratings	9	369	1222
Thermal Deformation in Crystal of End-Pumped Solid-State Lasers	10	370	1323
Optimal Design for Dual-Frequency Zeeman Laser	10	370	1329
Multiwavelength Oscillations of Ytterbium-Doped Fiber Laser	10	370	1333
Laser Diode Pumped Nd:YVO <sub>4</sub> Laser in Master Oscillator and Power Amplifier Structure	10	370	1338
Fiber-Coupled High Power Laser Diode by Polarization Multiplexing	10	370	1343
Object Classification Simulation for Ladar-Passive-Infrared Imaging Combination	10	370	1347
High-Resolution Signal Demodulation Method for Fiber-Optic Fabry-Perot Multiplexing System	10	370	1353
Characteristic Mode Analysis of Distributed Feedback Fiber Lasers	10	370	1358
High-Fidelity Replication Technology of Polymer Micro-Structure Diffraction Gratings	10	370	1363
Experiments on Output Scaling and Amplification of a Novel Active-Mirror Laser	10	370	1367
Balance of Asymmetry of Thermal Beam Distortion in Laser Diode End-Pumped Nd:YVO <sub>4</sub> Solid State Lasers	10	370	1371
Modulation-Free Laser Frequency Locking by Acousto-Optic Frequency-Shifting for Dense Wavelength Division Multiplexing	10	370	1375
All-Fiber Laser Pulse Amplifier	10	370	1379
Pulsed Dye Laser Amplifier with 50 W Output Power	11	371	1466
High Brightness Operation of Fiber Coupling Multiplex Diode Lasers	11	371	1472
Transient Thermal Effect in Pulsed Laser Diode End-Pumped Solid-State Laser	11	371	1476
Thermal-Induced Birefringence-Compensated Laser System with Two Nd:YAG Rods	11	371	1483
High Efficiency 23.6 W, 2 μm Laser	11	371	1488
Amplification Performance of Large- and Small-Mode-Area Ytterbium-Doped Double-Clad Fiber Amplifier	11	371	1492
Passive Mode-Locking in Nd:YAG Laser Using Nanocrystalline Silicon Embedded in SiN <sub>x</sub> Film	11	371	1498
Multi-Wavelength Fiber Ring Laser with Semiconductor Optical Amplifier	11	371	1502
Large-Mode-Area Photonic Crystal Fiber Laser Output High Average Power Femtosecond Pulses	12	372	1603

	No.	Cum. No.	Page
Optimization Design for Aspheric Collimation System of High-Power Semiconductor Laser Beam	12	372	1607
Spectrum-Width Stability of All Solid-State Frequency-Shifted Feedback Laser	12	372	1612
Fabrication of Yb-Doped Phase-Shifted Fiber Grating Laser	12	372	1617
Effect of Deviation Distance to Focal Spot on Nanosecond-Pulsed-Laser Drilling Rates in Air	12	372	1621
Mode Selection of a Tapered Large-Mode-Area Fiber Laser	12	372	1625
Performance Improvement of Nd:GdVO <sub>4</sub> Laser under 879 nm Direct Pumping	12	372	1629
High Power All-Solid-State Blue-Green Laser Based on Quadrature Frequency Conversion	12	372	1634
A Novel Coupling Technique of Optical Fiber for High Peak Power Pulse Laser	12	372	1639
<b>• LASER PHYSICS AND LASER CHEMISTRY •</b>			
Single Longitudinal Mode Fiber Laser with Multiple Ring Cavities and Its Frequency Stabilization	1	361	50
Chaos Synchronization in Polarization Selective Mutually Coupled Semiconductor Lasers	1	361	55
Radiation of the Motion of an Electron in the Multilayer Film Wiggler	1	361	61
Optical Parametric Oscillator Based on Periodically Poled MgO:LiNbO <sub>3</sub> Crystal	2	362	209
Analysis of Permitted Parameter of Periodically Poled RbTiOAsO <sub>4</sub>	2	362	214
Experiments of Stimulated Brillouin Scattering for Pulse Compression and Energy Reflectivity in K9 Glass and Fused Silica	2	362	219
Influence of Chirp on Spatial Intensity Distribution of Hyperbolic Secant Pulsed Beams	2	362	225
Incoherent Radiation of Amplifying Random Media	3	363	364
Numerical Stimulation for Reverse Wave Suppressor in Unstable Ring Resonator	3	363	370
Proper Orthogonal Decomposition and Low Dimensional Approximation of Aero-Optical Aberrated Wavefronts	4	364	491
Higher-Order Mode Method for Improving Line Intensity Uniformity of Laser Beam Line Generator	4	364	496
Influence on Resonant Tunneling Spectral Character of Two-Dimensional Magnetic Optical Quantum Wells	5	365	649
Study on the Improved High-Power Femtosecond Pulse Generation System	5	365	655
Research on the Method to Stabilize Second Harmonic Generation by Injecting $2\omega$ Signal	5	365	661
Effect of Impurity Absorption on One-Dimensional Photonic Crystal Defect Mode	6	366	777
Optimization of Diffractive Optical Element Used with Smoothing by Spectral Dispersion Technique	6	366	781
Theoretical Analysis and Optimized Design of Multi-Order Cascaded Raman Fiber Lasers	6	366	786
Numerical Simulations of Upconversion Effects in Passively Q-Switched Solid-State Lasers	6	366	791
Estimation of Laser Beam-Parameters Based on Damage Configuration of a Cylindrical Shell Subjected to Internal Pressure	6	366	797
Impulse Coupling Coefficient in Laser Ablating Aluminium at Air Ambient	6	366	804
Autocorrelation Characteristics of Super-Gaussian Optical Pulse	7	367	908
Angle Optimization for Ultra-Short Mid-Infrared Non-Collinear Phase Matching Optical Parametric Amplification in MgO:LiNbO <sub>3</sub> Crystal	7	367	915
Whispering-Gallery-Mode Laser of Evanescent Wave Exciting and Coupling Dye Gain in Cylindrical Microcavity	7	367	920
An Integrable Optic-Fiber Coherent State Quantum Identification System	7	367	924
Intense Laser Induced Multiphoton Photo-Acoustic Spectrum of NO	8	368	1069
Parameters Analysis and Measurement of Nanosecond Diffraction-Free Bessel Laser Pulse	8	368	1073
Effect of Structure Disorder on Band Gap of Eight-Fold Photonic Quasicrystals	8	368	1077
Smith-Purcell Radiation from Prebunched Electron Bunches	8	368	1081
Gain Characteristics of Dual-Pump Optical Parametric Amplifiers	8	368	1086
Optical Parametric Amplification in Periodically Poled LiNbO <sub>3</sub> for High Energy Perawatt Laser System Front End	8	368	1092
Calculation for Electronic Structure and Optical Properties of LiNbO <sub>3</sub> Crystals	9	369	1227
Efficiency Analysis of Transversely Pumped-Dye Laser Oscillator	9	369	1232
Radiation and Collision Energy Transfer of Excited Cs(6P) Atoms Mixed with He	9	369	1237
Modified Glan-Taylor Prisms and Its Characteristics	10	370	1383
Numerical Simulation of Thermodynamics in Cooling for Heat Capacity Laser	11	371	1507
Ultra-Short Pulses Self-Similar Evolution Conditions in Normal Dispersive Fiber Amplifiers	11	371	1512
Low-Threshold Widely-Tunable Intracavity Q-Switched Nd:YVO <sub>4</sub> /PPLN Optical Parametric Generator	12	372	1643
<b>• HOLOGRAPHY AND INFORMATION PROCESSING •</b>			
Identification Mark of Encrypted In-Line Fresnel Holography	3	363	402
Near-Infrared Nonvolatile Holographic Recording in LiNbO <sub>3</sub> :Fe:Rh Crystal	10	370	1398
Multiplexed Holographic Recording with Equal Time Exposure in Oscillation Phase of Two-Center Holographic Storage	10	370	1403
Information Encryption Based on Digital Holography and Phase Retrieve Algorithm	10	370	1408
Time Response Character of Holographic Plate	10	370	1413
Shrinkage of Photopolymer for Holographic Recording Materials	11	371	1543
A Holographic Display Screen Based on Laser Speckle Structure	12	372	1665
Imaging Resolution Analysis of Digital Holographic Microscopy	12	372	1670

	No.	Cum. No.	Page
<b>• BEAM TRANSMISSION •</b>			
Sensing Characteristics of Volatile Organic Compounds of a Waveguide Ring Resonator Fabricate by Sol-Gel Materials	2	362	229
Characteristics of Liquid Crystal Spatial Light Modulator at Oblique Incidence	3	363	374
Relationship between the Beam Excursion Error and the Beam Quality $\beta$ Factor of Long-Term Exposure Spot Intensity of Combined Beams in Bi-Grating Imaging	6	366	809
Spatial Frequency Spectrum Optimization Method for Design of Diffractive Optical Elements in Uniform Illumination	8	368	1096
Influence of Multiple Scattering on Laser Pulse Propagation through Sand and Dust Storm	10	370	1388
Improved Target Irradiation Uniformity Using Two-Dimensional Spectral Dispersion and Lens Array	10	370	1393
Modification of Aberration Nondiffraction Beams in Manufacture Error of Elliptical Axicon	11	371	1533
11	371	1538	
<b>• OPTICS COMMUNICATION AND ITS ELEMENTS •</b>			
Influence of Dispersion Compensation Schemes on Phase Noise of Phase Modulation Systems	1	361	64
Size Selection of Dispersive Spot Imaging on CCD in a Satellite Optical Communication Terminal	1	361	69
Signal Shaping Based on Phase Pre-Modulation in Fiber Transmission Systems	1	361	74
Analyses and Experimental Study of a $N \times N$ Optical Switch Using Two-Facet Reflective Mirrors	2	362	234
Background Loss of the Fiber Induced by the Ultraviolet Light Exposure	2	362	239
Effect of the Electrodes in an Electro-Optic Polymer Modulator on Waveguide Characteristics	3	363	379
Polarization-Dependent and Polarization-Independent $4 \times 4$ Free-Space Optical Switch	3	363	383
Control of Bit Error Rate Introduced by Platform Vibration for Free Space Optical Communication	4	364	499
A New Family of Two-Dimensional Optical Orthogonal Codes and Its Performance Analysis	5	365	667
A Variable Optical Attenuator Based on the Photonic Crystal Waveguide	5	365	671
10 GHz-Spaced over 1100 Channel Flat Supercontinuum Source Generated in a Microstructure Fiber	5	365	675
Modulation Instability of Fiber Bragg Gratings with Raised Cosine Apodization	7	367	930
Full-Duplex Radio-over-Fiber System with Optical Millimeter-Wave Generation Utilizing Optical Phase Modulator	7	367	935
High Speed Wavelength Conversion and Format Conversion Based on Semiconductor Optical Amplifier and Optical Filter	7	367	940
All Optical Clock Recovery from Degraded Non-Return-to-Zero Data Stream	8	368	1101
Design and Experiment of Add/Drop Filter Based on Double-Fiber-Bragg-Gratings Coupler	8	368	1106
10 GHz Short Optical Pulses Source with Ultra-Low Jitter	9	369	1241
Analysis of Error Performance for Turbo Coded Digital Pulse Interval Modulation under Weak Turbulence	9	369	1245
Improvement for All-Optical Logical AND Gate Based on Cascaded Semiconductor Optical Amplifiers	11	371	1517
Fiber Bragg Grating Based Time Phase En-Decoder with Multiple Wavelength Channels	11	371	1522
A Path Protection Algorithm with Differentiated Reliability in Multi-Domain Optical Networks	12	372	1648
A Novel Fixed Length Digital Pulse Interval Modulation for Optical Wireless Communications	12	372	1655
<b>• FIBER ELEMENTS •</b>			
Quasi-Distributed Optical Fiber Sensor Based on Surface Plasmon Resonance	2	362	243
Relation between Power Fraction in the Core of Hollow-Core Photonic Crystal Fibers and Their Bandgap Property	2	362	249
High-Temperature and Strain Characteristics of Long Period Grating with Asymmetric Refractive Index Profile in the Cross Section of Fiber	3	363	389
Development of Two Dimensional Scanning Fiber Probe Excited by Single Actuator	3	363	393
Evanescent Wave Coupled Semiconductor Quantum Dots Fiber Amplifier	3	363	398
A 100 km Fiber Bragg Grating Sensor System Based on Swept Laser and Optical Amplification	5	365	680
Design of Single-Polarization Single-Mode Micro-Structured Polymer Optical Fiber	5	365	684
Reconstruction of Parameters of Fiber Gratings from Time-Delay Characteristics Using the Genetic Algorithm	5	365	688
Frequency Locking Technique in Digital Closed-Loop Resonator Fiber Optic Gyro	6	366	814
Numerical Simulation of Temperature Properties of Photonic Crystal Fibers	7	367	945
All-Fiber Thermo-optical Variable Optical Attenuator	8	368	1110
An Approach to Improve Switch Performance of $\lambda/4$ Phase-Shifted Grating	9	369	1250
Lumped Fiber Nonlinear Noise Compensation Based on Volterra Theory	11	371	1527
Micromachining of an in-Fiber Extrinsic Fabry-Perot Interferometric Sensor by Using a Femtosecond Laser	12	372	1660
<b>• THIN FILMS •</b>			
Structure and Optical Property Changes of Heat Induced $\text{NiO}_x$ Thin Films	1	361	125
Laser Induced Thermoelectric Voltage of Atomic Layer Thermopile Materials	1	361	130
Preparation of ZnO Thin Films by Pulsed Laser Deposition	4	364	534
Preparation and Optical Characteristics of Polymer DR13/PMMA Composite Films	7	367	983
Influence of Metal Contamination in Vacuum Chamber on Properties of Optical Thin Films	7	367	988
Pulsed Excimer Laser Deposited Diamond Like Carbon Film on ZnS with Wide-Spectral Transmission	7	367	992
Anti-Reflection Coating Designed by Genetic Algorithm	9	369	1271
Spectra and Nonlinear Optical Properties of Two Azobenzene Compounds in Langmuir-Blodgett Films	9	369	1276

	No.	Cum. No.	Page
Effect of Temperature on Structure and Properties of Femtosecond Laser Deposited Silicon Based Zinc Oxide Thin Films	9	369	1282
Optimal Design and Arithmetic on Stack of Angle-Tuned Filter	9	369	1287
Deposition Rate's Effects on Properties of LaF <sub>3</sub> Films Prepared by Thermal Boat Evaporation	11	371	1557
<b>• MATERIALS •</b>			
Laser Properties of Cr, Yb, Er Co-doped Phosphate Glass	2	362	272
Synthesis and Research of Photochromism Based on Side-Polyimide Containing Azobenzene Group	4	364	525
Working Mechanism of the Binary Eutectic Alloy Mask Layer in Super-Resolution Near-Field Structure	4	364	530
Properties of Sol-Gel and Polymer Host for Solid-State Dye Lasers	5	365	707
Blue Up-Conversion in Yb <sup>3+</sup> and Tm <sup>3+</sup> -Codoped KY(WO <sub>4</sub> ) <sub>2</sub>	5	365	711
Effect of CuO, CuCl on Properties of P <sub>2</sub> O <sub>5</sub> -ZnO-Na <sub>2</sub> O Glasses	8	368	1146
Chemical-Mechanical Polishing of Phosphate Laser Glass	8	368	1151
Growth of Ho <sup>3+</sup> , Yb <sup>3+</sup> Co-Doped KGd(WO <sub>4</sub> ) <sub>2</sub> Crystal by Kyropoulos Method and Its Spectral Property	10	370	1436
Effect of Yb <sup>3+</sup> on Infrared and Upconversion Emission of Er <sup>3+</sup> -Doped Tellurite-Based Glasses	12	372	1688
<b>• MEASUREMENT TECHNIQUES •</b>			
Defect Measurement Based on Rotating Aperture-Stroboscopic Speckle Interferometry	1	361	78
Measurement of Concentration Change Distribution Based on Theory of Interference and Image Processing Methods	1	361	82
Data Processing Method for the Division-of-Amplitude Photopolarimeter Based on an Artificial Neural Network	1	361	89
Optical Design of Double Grating Monochromator of a Pure Rotational Raman-Lidar	1	361	94
Analysis on an Improved Fourier Transform Profilometry	1	361	99
A J <sub>0</sub> -J <sub>1</sub> Method for Measurement of Dynamic Phase Changes in an Interferometric Fiber Sensor	1	361	105
Fluid Refractive-Index Sensor Base on Return Strength from Fiber End	1	361	109
Dynamic Torque Measurement Technique Using Laser Doppler Effect and Two-Section Speed Fluctuation	1	361	113
Sub-Pixel Measurement Accuracy Experiment of Complementary Metal Oxide Semiconductor Imager	1	361	118
Real-Time Laser Beam Quality Measurement Technique	2	362	255
A New Calibration Method for Two-Sensor Measurement System Based on Line-Structure Light	2	362	259
Sinusoidal Phase Modulating Interferometry Based on Low Frame Rate Area Array CCD	2	362	265
Daytime Observation Technology of Lidar by Using Atomic Optical Filter	3	363	406
Application on Circular Cylinder Particle Size Distribution Based on Anomalous Diffraction Approximation	3	363	411
Method of Impulse Measurement for Laser-Ablated Target	3	363	417
Optimum Design of Parallel Plate Interferometer for Angular Displacement Measurement	3	363	422
Detection of Spontaneous Brillouin Backscattered Power in Distributed Optical Fiber Sensor System Based on High Frequency Microwave Technology	4	364	503
Detection of a Sound of Modulation Signal in Scattering Laser	4	364	507
Dynamic Thermal Abberation Measurement of Side-Pumped Slab Laser Medium	4	364	511
Wavefront Measurement for Transparent Object by Active Deflectometry	4	364	515
Non-Flatness Measurement of Wafer Stage Mirrors in a Step-and-Scan Lithographic Tool	4	364	519
Influence of Acceleration on the Error of Laser Dual-Frequency Interferometer	5	365	694
Retrieving Optical Concealment Depth of Underwater Target by Remote Sensing	5	365	699
Laser Doppler Vibrometer for Acousto-Optic Communication	5	365	703
A New Pipeline Leakage Detection System Based on Linear Optical Fiber Sagnac Interferometer and Its Location Technology	6	366	820
Reflectance Spectrum Measurement of Multilayer Film by Spectroscopic Optical Coherence Tomography	6	366	825
Refractive Indices Measurements of Uniaxial Crystal by Reflectivity Scan to Incident Angle	6	366	829
Development of Optical Coherence Tomography Based Projected Index Computed Tomography System	6	366	833
Strain-Measurement of One-Dimensional Photonic Crystal	6	366	837
In-Situ Measurement for Flying Height Modulation of Magnetic Head by Symmetrical Common-Path Heterodyne Interferometry	6	366	841
Measurement Method for Semiconductor Optical Amplifier Gain Coefficient with Wavelet Denoise and Deconvolution	6	366	846
Precise Measurement and Factors Analysis for Phase Retardation of Wave Plate	6	366	851
Broadband Continuous-Wave Cavity Ring-Down Technique with Combined Cavity Configurations for High Reflectivity Measurement	6	366	857
Three-Dimensional Object Recognition under Out-of-Plane Rotation Based on Multiple Feature Spaces	7	367	952
Fiber Optic Hydrophone Based on Sagnac Interferometer with Saw-Tooth Wave Phase Biasing Technique	7	367	957
Influence of Mode Mismatch on Measurement of Continuous-Wave Cavity Ring-Down Technology	7	367	962
Influence of Spectrum Leakage on Measurement Accuracy of Sinusoidal Phase Modulating Interferometer	7	367	967
Sensitivity of Surface Plasmon Resonance Sensor for Different Wavelengths	7	367	972
Three-Dimensional Reconstruction Method Based on Parameter Mapping and B-Spline Interpolation	7	367	977
Research on Phytoplankton Chlorophyll Fluorescence Excitation Spectra by Gaussian Decomposition	8	368	1115

	No.	Cum. No.	Page
Phase-Shifting Lateral Shearing Interferometry of Convergent Beam	8	368	1120
Angular Displacement Measurement Based on Lateral Shearing Interferometer Using Plane-Parallel Plate	8	368	1125
Novel Method for Measuring Non-Orthogonality of Interferometer System in Step and Scan Lithographic Tool	8	368	1130
Frequency-Resolved Optical Gating Using Refractive Dammann Gratings	8	368	1136
Pearl Detection with Optical Coherence Tomography	8	368	1140
Dynamic Measurement of Small Angle with Two Prisms	9	369	1255
Long-Focal-Depth Lens for Laser Plasma Diagnostic System	9	369	1260
Sensing Characteristics to Ethanol Vapor of Sol-Gel Stripe Waveguides Incorporated in a Sagnac Loop	9	369	1263
All Fiber-Optic Sinusoidal Phase-Modulating Interferometer Insensitive to Intensity Modulation of Light Source	9	369	1267
A Passive Method for Resolving Phase Shifting of Interferometric Fiber-Optic Sensors	10	370	1417
High-Accuracy Time-Interval-Unit for Spaceborne Laser Range Finder	10	370	1422
High Frequency Characterization Measurement of Electroabsorption Modulated-Integrated Distributed-Feedback Laser Module	10	370	1427
Influence of Resonator Structure of Solid-State Laser on Thermal Focal Length Measurement	10	370	1431
Image Mosaic Technique Based on Pseudo-Zernike Moments of Interest Points	11	371	1548
Fast Axis Calibration of Quarter-Wave Plate by Fundamental Component Extinction	11	371	1553
Light Scattering Virtual Simulation of Red Blood Cell under Double Curve Symmetrical Model	12	372	1676
Measurement Performance of Simultaneous Phase-Shifting Interferometer	12	372	1682
<b>• LASER APPLICATIONS •</b>			
Investigation and Applications of Fiber Laser Precision Cutting System	1	361	135
Determination of the Laser Supported Detonation Wave Ignition Threshold from Impulse Coupling between Laser and Target	1	361	139
Investigation on In-Situ Synthesis of TaC Particulate Reinforced Ni-Based Composite Coatings by Laser Cladding	2	362	277
Microstructures of Ni-Cr-Ti-Al Laser Claddings on K418 Superalloy	2	362	283
Theoretical Investigation and Finite Element Simulation of Laser Peen Forming of Metal Plate	2	362	288
Mechanism of Phase Transformation of Diamond Synthesized by Laser with Lower Power Density	2	362	295
Effect of Solidification Conditions on Microstructure and Mechanical Properties of $\gamma$ -Ni/Mo <sub>2</sub> Ni <sub>3</sub> Si Alloy	3	363	427
Higher Power CO <sub>2</sub> Laser Welding Technology for Sandwich Diamond Saw	3	363	432
Microstructure and Wear-Resisting Property of (Ti+Al/Ni)/(Cr <sub>2</sub> O <sub>3</sub> +CeO <sub>2</sub> ) Laser Cladding on Titanium Alloy	3	363	438
Evolution of Molten Pool Shape in the Process of Laser Rapid Forming	3	363	442
Identification of Different Laser Welding Penetration States Based on Multi-Sensor Fusion	4	364	538
Laser Cutting Special Steel Sheet Controlled by Rotating Gas Flow	4	364	543
Microstructure and Wear Behaviour of Laser-Clad Zr-Cu-Ni-Al/TiC Composites on AZ91D Magnesium Alloy	4	364	549
Size-Dispersal of Si Nanoparticles Prepared by Pulsed Laser Ablation	4	364	555
Microstructure and Wear Resistance of a Laser Melting-Deposited $\gamma$ /NiMo Near-Eutectic Alloy	4	364	559
Modelling of the Keyhole Formation under High Intensity Laser Power	4	364	564
High Power CO <sub>2</sub> Laser Brazing of Diamond Grits	4	364	569
Processing of Laser Quenching Crankshaft	4	364	574
Laser Induced Breakdown Spectroscopy of the Trace Metal Element Pb in Soil	4	364	577
Microripple Structures Induced by Femtosecond Laser Pulses	5	365	715
Identification of Terahertz Absorption Spectra of Illicit Drugs Using Back Propagation Neural Networks	5	365	719
Damage Threshold Improvement of Fused Silica Chip by CO <sub>2</sub> Laser Pretreatment	5	365	723
Visual Numerical Study on Surface Micro-Topography of Sheet Metal by Laser Peening	5	365	728
Laser Pre-Stressed Compound Peen Forming of Plate	6	366	861
Microstructure and Properties of High Power Laser Welding of Ship Steel Plate	6	366	866
Effects of Laser Heat Treatment on Properties of Ni-P Alloy Film by Chemical Deposition	6	366	871
Titanium Coping Fabricated with Laser Rapid Forming	6	366	876
Laser Strengthening Nano-Composite Plating Al <sub>2</sub> O <sub>3</sub> Coating	7	367	998
Computational Fluid Dynamic Numerical Simulation for Pulse Laser Texturing Machining	7	367	1004
Ultra-Short Pulsed Laser-Induced Damage in Inorganic Silicon Materials	7	367	1009
Effect of Process Parameters in the Laser Rapid Forming on Deposition Layer	7	367	1014
Microstructure and Properties of AZ91HP Magnesium Alloy Treated by High Power Laser Melting	7	367	1019
Femtosecond Laser Processing of Arrayed Micro Holes of Metal Filtration Membrane	8	368	1155
Effect of Laser Surface Remelting on Performance of LY12CZ	8	368	1159
Microscopic Morphology and Microstructure of Phases between Dilution Zone and Clad Zone in Laser Remelting NiCrBSi/TiN Layer	9	369	1292
Ablation of Metallic Glasses by Femtosecond Laser Pulses	9	369	1297
Numerical Simulation of Bending Properties for Sheet Metal with Different Laser Source Modes	9	369	1303
Temperature/Stress Field Numerical Simulation of Hollow Blade Produced by Laser Rapid Forming	9	369	1308
Laser Cutting Processing and Mechanism for Thick Boron Plate	10	370	1441

	No.	Cum. No.	Page
Experimental Research on Narrow Strip Laser Peening Forming	10	370	1446
Ejecting Removal of Particles in Laser-Induced Plasma Shockwave Cleaning	10	370	1451
Laser Penetration Brazing of Brass and Low Carbon Steel	11	371	1562
Microheater Array Fabrication by Laser Micro-Cladding Method	11	371	1567
Cylinder Welding Control Technology of Integrated Laser Manufacturing System	11	371	1571
Model of One-Dimensional Thermal Stress Applied in Paint Removal by Q-Switched Short Pulse Laser	11	371	1577
Preparation of Silver Nanoparticles Colloid by Pulsed Laser Ablation	11	371	1582
Analysis of Silicon Surface Profile of Pulsed Laser Bending Processing	11	371	1589
A15-Nb <sub>3</sub> Al/B2 Laminated-Structure Intermetallic Composites Produced by Laser Deposition	12	372	1694
Model Manufacturing Process from Aluminum Alloys Using Selective Laser Melting	12	372	1700
Model and Control Technology for Machining Large-Diameter Optical Aspheric Mirror	12	372	1705
Laser Cladding Ni-Based Tribaloy 700 Coatings on TA2 Titanium Alloy	12	372	1710
Characteristics of Laser-TIG Double-Side Welding for Aluminum Alloys	12	372	1716
Simulation on Influence of Scanning Passes during Laser Bending of Steel Plate	12	372	1721
CO <sub>2</sub> Laser Welding of Vehicle Body	12	372	1726
<b>• LASER MEDICINE AND BIOLOGY •</b>			
Effect Factors of Laser Tissue Ablation	2	362	300
Using Spatially Resolved Reflectance to Measure Optical Properties of Stomach Tissue	4	364	582
Properties of Pure Titanium for Dental Implants Fabricated by Rapid Laser Forming	4	364	588
Fiber Laser Cutting Technology on Coronary Artery Stent	5	365	733
Precaution against Ultraviolet-B-Induced Damage by Pre-Treating with Semiconductor Laser in Wheat Seedlings	8	368	1163
Repair Effects and Damage of Cell of Wheat Seedlings Exposed to Enhanced Ultraviolet-B Radiation by He-Ne Laser	11	371	1594
A Real-Time Energy Meter for Medical Excimer Laser	12	372	1732