

Optical design of freeform Fresnel TIR lens for LED uniform illumination

Hu Tiantian^{1,2}, Zeng Chunmei^{1,2}, Rui Congshan^{1,2}, Hong Yang^{1,2}, Ma Suodong^{1,2}

(1. School of Optoelectronic Science and Engineering, Soochow University, Suzhou 215006, China;

2. Key Lab of Advanced Optical Manufacturing Technologies of Jiangsu Province & Key Lab of Modern Optical Technologies of Education Ministry of China, Soochow University, Suzhou 215006, China)

Abstract: A new design of total internal reflection (TIR) lens was presented which had a freeform Fresnel surface in the central part of the front to improve the heat dissipation capability. Snell's law and the reflection law were applied to construct the freeform refractive surface and the freeform reflective surface for the TIR lens. The freeform refractive surface was transformed into the freeform Fresnel surface with universal design method of Fresnel lens. The simulation result for the freeform Fresnel TIR lens obtained by Monte Carlo ray tracing shows that the far field illumination uniformity of 82.0% and the luminous efficiency of 96.6% are achieved for the light source size of 2 mm×2 mm, in the meanwhile the lens weight is only 21.94 g. The freeform Fresnel TIR lens has nearly 20% reduction in lens weight and volume, only a 2% reduction in luminous efficiency, and no reduction in illumination uniformity compared to the TIR lens without the Fresnel surface. The result indicates that the Fresnelization for freeform surface of TIR lens can significantly reduce the volume and weight of TIR lens and shorten the optical path length, thus effectively improve its heat dissipation efficiency and service life while maintaining a high performance.

Key words: optical design; Fresnel TIR lens; Snell's law; heat dissipation

CLC number: O439 **Document code:** A **DOI:** 10.3788/IRLA20200183

用于 LED 均匀照明的自由曲面菲涅耳 TIR 透镜光学设计

胡甜甜^{1,2}, 曾春梅^{1,2}, 芮丛珊^{1,2}, 洪洋^{1,2}, 马锁冬^{1,2}

(1. 苏州大学光电科学与工程学院, 江苏苏州 215006;

2. 江苏省先进光学制造技术重点实验室 & 教育部现代光学技术重点实验室, 江苏苏州 215006)

摘要: 为了提高透镜的散热能力,设计了一种新型全内反射(TIR)透镜,该透镜的出射面中央为自由曲面菲涅耳面。采用斯涅尔定律和全反射定律分别求解 TIR 透镜折射部分和反射部分自由曲面的面形。同时,采用一种菲涅耳透镜的普适设计方法将折射部分自由曲面转变成菲涅耳面。通过蒙特卡罗光线追迹模拟自由曲面菲涅耳 TIR 透镜的照明效果,结果显示:当光源尺寸为 2 mm×2 mm 时,其远场照度均匀性为 82%,光效为 96.6%,透镜质量为 21.94 g。与未加菲涅耳面的 TIR 透镜相比,带自由曲面菲涅耳面的 TIR 透镜在光效仅下降 2%,在照度均匀性未变的情况下,透镜质量减少了约 20%。这说明对 TIR 透镜的自由曲面出射面进行菲涅耳化可明显地缩小透镜的体积和质量,缩短光线在透镜

收稿日期:2020-05-19; 修订日期:2020-07-30

基金项目:江苏高校优势学科建设工程资助项目

内部的光程,因此可有效提高透镜的散热效率和使用寿命,同时保持良好的照明效果。

关键词: 光学设计; 菲涅耳 TIR 透镜; 斯涅尔定律; 散热

0 Introduction

Light-emitting diode (LED) light source characterized by high luminous efficiency, durability and reliability is considered to be the most promising light source of the next generation^[1]. LED is close to the theoretical "point source", so it is easy to accurately locate the light source when designing the optical system. However, due to its Lambertian distribution and large divergence angle, it is necessary to redistribute the spatial intensity distribution of a LED, which is called secondary light distribution.

At present, the main light distribution lenses on the market are peanut lens and TIR lens. However, peanut lens has a large size and the poor heat dissipation effect, which reduces its service life as well as increases the cost. Dai Yidan^[2] added a gradient Fresnel surface on the peanut lens to reduce the thickness of the lens and improve the heat dissipation efficiency. However, the illumination uniformity is relatively low, only 68%. Zhang Yuebin^[3] of Yanshan University proposed heat dissipation method for LED arrays based on water cooling. This method is more effective in reducing the temperature of the LED array, but it will reduce the luminous efficiency and shorten its service life. Sun Lixia of Zhejiang University^[4] added a heat sink to the LED light source to improve the heat dissipation efficiency of the lens. However, it has the disadvantage that when the LED light source reaches its service life and need to be replaced, the LED lens is supposed to be redesigned which is very inconvenient. There is also a problem of poor heat dissipation for the TIR lens^[5-8] which is commonly used at present. Wan Yunjia^[9] of Hubei University proposed a design method of freeform Fresnel lens and designed a thin Fresnel lens with a freeform surface which greatly improve the heat dissipation efficiency. However, the thin Fresnel lens with two transmission surfaces is too simple to achieve a good far

field illumination performance. Therefore, the heat dissipation design on the TIR lens is expected to achieve the dual goals of high heat dissipation efficiency and satisfactory far field illumination performance.

The freeform surface can accurately perform the light distribution for the secondary light distribution lens. There are several methods for the design of freeform surfaces: trial and error method^[10], numerical analysis method^[11-14], and SMS design method (Simultaneous Multiple Surface)^[15-17]. The trial and error method require constant modification of parameters thus it is not efficient. The numerical analysis method and the SMS design method can effectively establish the iterative relationship between adjacent sampling points through the numerical relationship, and obtain the discrete point data of the free surface. This method is not only suitable for Lambertian LEDs, but also for non-Lambertian LEDs with wide applicability^[18].

In order to improve the heat dissipation efficiency of TIR lens, we designed a freeform TIR lens based on far-field illumination with numerical analysis method, and applied a segmentation method to design a freeform Fresnel TIR lens, then analyzed and compared the far field illumination uniformity, luminous efficiency, lens volume and weight of this two kinds of freeform TIR lens.

1 Design method

The flow chart for the design of the freeform TIR lens is shown in Fig.1. Step 1 and Step 2 are shown in Section 1.1, mainly to divide the luminous flux of the LED light source and the area of the target plane equally, and establish the equation of unit luminous flux and unit area of the target plane. Step 3 and Step 4 shown in Section 1.2 describes how the freeform TIR lens is designed. The design of the freeform Fresnel surface is accomplished by segmentation method shown in Section 1.3.




Fig.1 Flow chart for designing the freeform TIR lens

1.1 Equalize the luminous flux and the target plane

The luminous intensity distribution of the currently used LED light source is Lambertian distribution. As shown in Fig.2, in order to achieve uniform illumination on the target plane, the illumination angle and the area of the target plane are equally divided^[19].




Fig.2 Equalize the luminous flux and the target plane (θ_i : the cone angle of the sampling rays; R : the radius of the target plane; r_i : the radius of each annulus on target plane)

1.2 Design of freeform TIR lens

The freeform TIR lens has been designed using a numerical analysis method^[19]. The cross section schematic diagram of the freeform TIR lens^[6] is shown in Fig.3. Surface 1 is a circular plane, surface 2 is a freeform

$$\int_{\theta_i}^{\theta_{i+1}} I_{\theta} \Omega = \int_{S_i}^{S_{i+1}} E dS \quad (1)$$

where I_{θ} is the luminous intensity; and E is the illuminance on the target plane.

The total luminous flux φ_t of the LED light source is:

$$\varphi_t = 2\pi \int_0^{\frac{\pi}{2}} I_{\theta} \sin\theta d\theta \quad (2)$$

We divide the luminous flux φ_t of the LED light source into N equal parts:

$$2\pi \int_{\theta_i}^{\theta_{i+1}} I_{\theta} \sin\theta d\theta = \frac{\varphi_t}{N} = \frac{2\pi}{N} \int_0^{\frac{\pi}{2}} I_{\theta} \sin\theta d\theta \quad (3)$$

where θ_i is the cone angle of the sampling ray.

We further divide the target plane into N equal-area concentric annulus. The radius of the target plane is R , and the radius of each annulus on target plane is r_i . The area S_0 of each annulus is:

$$S_0 = \pi r_{i+1}^2 - \pi r_i^2 = \frac{\pi R^2}{N} \quad (i = 0, 1, 2, 3, \dots, N-1) \quad (4)$$

The solid angle of the source and the area of the target plane are equally divided based on the Eqs. (1)-(4), thus the directions of the incident ray and the emergent ray are determined.

surface to be designed, surface 3 is a cylindrical surface inside, surface 4 is a freeform TIR surface to be designed, and the surface 5 is an annular plane. The LED is placed at the origin of the coordinates (0, 0), where there is a cylindrical cavity inside the TIR lens.




Fig.3 Schematic diagram of the freeform TIR lens (1: a circular plane; 2: a freeform surface to be designed; 3: a cylindrical surface inside; 4: a freeform TIR surface to be designed; 5: an annular plane)

Two freeform surfaces of the TIR lens is solved by the Snell's law and the reflection law, respectively. The

freeform refractive surface 2 of the TIR lens is solved by the Snell's law:

$$\left[1 + n^2 - 2n(\mathbf{O} \cdot \mathbf{I})\right]^{1/2} \cdot \mathbf{N} = \mathbf{O} - n\mathbf{I} \quad (5)$$

The freeform reflective surface 4 of the TIR lens is solved by the reflection law:

$$\sqrt{2 - 2(\mathbf{O} \cdot \mathbf{I})} \cdot \mathbf{N} = \mathbf{O} - \mathbf{I} \quad (6)$$

A. Freeform refractive surface design

The rays emitted from the point O (LED source) with small spread angles will be collimated by the freeform refractive surface. A series of sampled rays are taken at equal angular intervals as shown in Fig.4(a). The coordinates of the points on plane S_1 is $e_{i+1}(x_{1i+1}, y_{1i+1})$ ^[18]:

$$y_{1i+1} = h \quad (7)$$

$$x_{1i+1} = h \tan(A_{i+1}) \quad (8)$$




Fig.4 Optical geometry of freeform surface

Constructing the freeform refractive surface S_2 is the process of calculating the coordinates of the points E_1, E_2, \dots, E_i . The main iteration between two adjacent sampling points $E_i(x_{2i}, y_{2i})$ and $E_{i+1}(x_{2i+1}, y_{2i+1})$ on S_2 is derived by using Snell's law as shown in Eqs. (9)-(10):

$$x_{2i+1} = \frac{y_{2i} - y_{1i+1} + \cot(P_{i+1})x_{1i+1} - k_{2i}x_{2i}}{\cot(P_{i+1}) - k_{2i}} \quad (9)$$

$$y_{2i+1} = \frac{k_{2i}[y_{2i} - y_{1i+1} + \cot(P_{i+1})x_{1i+1} - k_{2i}x_{2i}]}{k_{2i}x_{2i} + y_{2i}} \quad (10)$$

where k_{2i} is the tangent slope of the freeform surface S_2 at E_i :

If the initial point E_i is known, the coordinates of all points on the surface S_2 can be calculated using the iterative Eqs. (9)-(10).

B. Freeform TIR surface design

As shown in Fig.4(b), the rays emitted from the point O (LED source) with large spread angles first travel through the vertical plane surface S_3 , then hit the TIR surface S_4 being reflected, and are finally redirected

$$k_{2i} = \frac{\frac{(x_{4i} - x_{2i})}{\sqrt{(x_{4i} - x_{2i})^2 + (y_{4i} - y_{2i})^2}} - \frac{n(x_{2i} - x_{1i})}{\sqrt{x_{2i}^2 + y_{2i}^2}}}{\frac{n(y_{2i} - y_{1i})}{\sqrt{x_{2i}^2 + y_{2i}^2}} - \frac{(y_{4i} - y_{2i})}{\sqrt{(x_{4i} - x_{2i})^2 + (y_{4i} - y_{2i})^2}}} \quad (11)$$

parallel to the y-axis through the horizontal plane surface S_5 . The points on surface S_3 is $F_i(x_{3,t}, y_{3,t})$, and the points on surface S_4 is $f_i(x_{4,t}, y_{4,t})$. The iteration for two adjacent sampling points $f_i(x_{4,t}, y_{4,t})$ and $f_{i+1}(x_{4,t+1}, y_{4,t+1})$ on the surface S_4 is as follows^[18]:

$$x_{4,t+1} = \frac{-y_{4,t} + y_{3,t+1} - m_{3,t+1}x_{3,t+1} + p_{4,t}x_{4,t}}{p_{4,t} - m_{3,t+1}} \quad (12)$$

$$y_{4,t+1} = p_{4,t}(x_{4,t+1} - x_{4,t}) + y_{4,t} \quad (13)$$

where $m_{3,t+1}$ is the slope of F_{t+1}, f_{t+1} , and $p_{4,t}$ is the slope of the tangent at the point f_i :

$$m_{3,t+1} = \frac{y_{4,t+1} - y_{3,t+1}}{x_{4,t+1} - x_{3,t+1}} \quad (14)$$

$$p_{4,t} = \frac{\frac{(x_{4,t} - x_{3,t})}{\sqrt{(x_{4,t} - x_{3,t})^2 + (y_{4,t} - y_{3,t})^2}}}{\frac{(y_{4,t} - y_{3,t})}{\sqrt{(x_{4,t} - x_{3,t})^2 + (y_{4,t} - y_{3,t})^2}}} \quad (15)$$

Thus, the coordinates of all points on the surface S_4 can be obtained using the iterative Eqs. (12)-(13) to construct freeform TIR surface S_4 .

1.3 Freeform Fresnel surface design with the segmentation method

After designing the freeform TIR lens, we use the segmentation method^[9] to perform Fresnelization on the freeform surface S_2 . Figure 5 shows a Fresnel surface. Assuming that the refractive index of the lens material is uniform, the Fresnel lens maintains the curvature of the lens surface and the direction of the ray does not change while the excess material of the lens being removed.

The half-diameter of the lens is defined as R , and the surface of the lens is divided into N equal annulus, and the width of each annulus is d , then $d=R/N$. The half-diameter of the target plane is L which is also divided into N equal annulus, then the width of each annulus is $w=L/N$. The incident light on the j th Fresnel annulus of the lens is required to arrive at the j th annulus of the target plane, which does not guarantee that the illumination distribution on the target plane is uniform. Thus, each Fresnel annular zone of the lens should continue to be subdivided. As shown in Fig.5, the width of the j th Fresnel annular zone




Fig.5 Schematic diagram of Fresnel lens (R : the half-diameter of the lens; d : the width of each annulus; R_j : the half inside-diameter of the j th Fresnel annulus; R_{j+1} : the half outer-diameter of the j th Fresnel annulus)

between the R_j and the R_{j+1} is:

$$\Delta R = R_{j+1} - R_j = d(0 \leq j \leq N) \quad (16)$$

When the Fresnel annular zone is divided into M parts at equal space, the width of each part is:

$$\Delta r = d/M \quad (17)$$

The radius R_j can be expressed as:

$$R_j = j \times d \quad (18)$$

In this way, the radius r_{ji} of each equidistant points on the j th annulus is:

$$r_{ji} = R_j + i\Delta r(0 \leq i \leq M) \quad (19)$$

The j th annulus of the target plane can also be equally divided in the same way, and the radius of each equidistant points is t_{ji} . The incident light on the r_{ji} and r_{ji+1} regions of j th Fresnel annular zone is controlled to arrive on the t_{ji} and t_{ji+1} region of the target plane S_6 , where r_{ji} is equivalent to the discrete point coordinate E_i on the freeform surface S_2 in section 1.2, and t_{ji} is equivalent to M_i on the target plane S_6 . The ordinate y_{2i} of each point E_i is simultaneously reduced by a height h , and the abscissa x_{2i} remains unchanged. This produces a uniform illuminance distribution on the target plane.

2 Simulation and analysis

The freeform TIR lens is designed using the method described in the section 1.2, and the lighting simulation (ray tracing) is performed. In order to improve the

illumination performance of the freeform TIR lens, we reduce the area of the target region where the illuminance value is relatively large, and enlarge the area of the target region where the illuminance value is relatively small using the inverse feedback optimization method. The overall illuminance uniformity is improved, and the cross-

section diagram is shown in Fig.6(a), and the illuminance distribution is shown in Fig.7(a). Then the freeform surface S_2 is Fresnelized. The main parameters of the Fresnel lens are summarized in Tab.1. CREE XLamp XR-E series is selected as the light source. The luminous flux is 100 lm, the divergence angle is 170° , and the surface




Fig.6 2D cross-section diagram of two types of TIR lens




Fig.7 Illuminance distribution of two types of TIR lens

light source size is 2 mm×2 mm; the target plane is 10 m away from the light source, and half-diameter of the target plane is 2.5 m. In order to further improve the optical illumination effect, the freeform Fresnel TIR lens with different number of segments is optically simulated. The simulation results are shown in Tab.2. When the number of segments is larger, the illumination effect is better, but the manufacturability gets worse. As a tradeoff, the number of segments N is defined as 22 in our work. The 2D cross-section diagram is shown in Fig.6(b), and the illuminance distribution is shown in Fig.7(b). The height of the freeform TIR lens without the Fresnel surface is 8.60 mm, and the height of the freeform TIR lens with the Fresnel surface is 1.08 mm, which decreases by 7.52 mm.

According to the illuminance distribution diagram, the illuminance uniformity of the two lenses is obtained according to the uniformity calculation shown in Eq. (20):

$$U = \frac{E_{\max} + E_{\min}}{2 \cdot E_{\max}} = \frac{1}{2} + \frac{E_{\min}}{2 \cdot E_{\max}} \quad (20)$$

The luminous efficiency values given by the

Tab.1 Main parameters of Fresnel lens

Parameter	Specification
Light source size/mm	2×2
Half-diameter of the lens/mm	24
Half-diameter of the target plane/m	2.5
Distance between target plane/m and the light source/m	10
Lens material	PMMA
Number of segments N	22

Tab.2 Illumination effect of freeform Fresnel TIR lenses with different numbers of segments

Number of segments N	16	18	20	22
Illumination uniformity	72.3%	75.4%	78.1%	82.0%
luminous efficiency	89.2%	92.3%	93.3%	96.6%

software are listed in Tab.3. The corresponding weight, volume and superficial area of the two lenses are listed in Tab.3. The 3-D structure diagrams of the freeform TIR lens is shown in Fig.8(a) and the freeform Fresnel TIR lens is shown in Fig.8(b).

Tab.3 Comparison of lens size and illumination performance

	Volume/mm ³	Weight/g	Superficial area/mm ²	Illumination uniformity	Luminous efficiency
Freeform TIR lens	27437.27	27.44	5977.53	82.0%	98.2%
Freeform TIR Fresnel lens	21940.06	21.94	5899.18	82.0%	96.6%




Fig.8 3D models of two types of TIR lens

It can be seen from Fig.7 and Tab.3 that the far field illumination uniformity of both two TIR lenses is 82.0%, indicating that the original illumination performance is maintained. The luminous efficiency of the freeform TIR lens with Fresnel surface slightly decreased from 98.2% to 96.6%, but it still maintained a high level. The TIR lens with Fresnel surface is reduced by about 20% in volume and weight compared with the TIR lens without the Fresnel surface. This shows that the Fresnelization of

freeform refractive surface of the freeform TIR lens can significantly reduce the volume and weight of the lens and shorten the optical path length, thus effectively improving the heat dissipation efficiency and service life of the lens, while maintaining the original illumination uniformity.

3 Conclusion

In this article, a freeform TIR lens is designed based on Snell's law and reflective laws, and a freeform Fresnel TIR lens is designed by segmenting the freeform surface. The freeform Fresnel TIR lens has nearly 20% reduction in lens weight and volume compared with the TIR lens without Fresnel surface. The optical path length is shortened, thereby the heat dissipation efficiency of the lens is improved. In terms of optical properties, the freeform Fresnel TIR lens has high illumination uniformity and high

luminous efficiency, so the LED light source can be fully used and it is beneficial to the secondary energy saving.

References:

- [1] Wang Feijia. The current problem and the future development prospect of LED road lantern [J]. *China Illuminating Engineering Journal*, 2012, 23(4): 97-99. (in Chinese)
- [2] Dai Yidan. The design of gradient Fresnel lens used for LED road lighting [D]. Xi'an: Xi'an Institute of Optics and Precision Mechanics, Chinese Academy of Sciences, 2015. (in Chinese)
- [3] Zhang Yuebin. The research of heat dissipation of LED array based on water cooling [D]. Qinhuangdao: Yanshan University, 2012. (in Chinese)
- [4] Sun Lixia. Mathematical model and numerical simulation of the heat distribution for LED heat sink [D]. Hangzhou: Zhejiang University, 2016. (in Chinese)
- [5] Liu Guoqiang. Research on second optical design of LED light source based on free form surface [D]. Xi'an: Xi'an University of Technology, 2017. (in Chinese)
- [6] Wang Hong, Li Xiufeng, Ge Peng. Design of an optical lens combined with a total internal reflection (TIR) freeform surface for a LED front fog lamp [J]. *Optics & Laser Technology*, 2017, 88: 11-16.
- [7] Liang Sungen, Zhou Xuefang, Hu Miao, et al. Design of high power LED uniform illumination system based on near-focus aspheric lens [J]. *High Power Laser and Particle Beams*, 2019, 31(9): 091002. (in Chinese)
- [8] Ma D, Liang R. Freeform lens for LED dental headlight [C]// *Optical Nanostructures & Advanced Materials for Photovoltaics*, 2013: JM3A.23.
- [9] Wan Yunjia. Design of novel freeform lens for secondary light distribution on LED light source [D]. Wuhan: Hubei University, 2017. (in Chinese)
- [10] Aslanov E, Doskolovich L L, Moiseev M A. Thin LED collimator with free-form lens array for illumination applications [J]. *Applied Optics*, 2012, 51(30): 7200.
- [11] Winston R, Minano J C, Benitez P, et al. *Nonimaging Optics* [M]. Netherlands: Elsevier Academic Press, 2005.
- [12] Zhai H, Dai Y J, Wu J Y, et al. Experimental investigation and analysis on a concentrating solar collector using linear Fresnel lens [J]. *Energy Conversion & Management*, 2010, 51(1): 48-55.
- [13] Ryu K, Rhee J G, Park K M, et al. Concept and design of modular Fresnel lenses for concentration solar PV system [J]. *Solar Energy*, 2006, 80(12): 1580-1587.
- [14] Cheng Ying, Wang Zechao, Xie Xiaobing, et al. Design and fabrication of a Fresnel lens for laser lamps [J]. *Infrared and Laser Engineering*, 2020, 49(3): 0314003. (in Chinese)
- [15] Wang Kai. Freeform optics for high power LED packages and applications [D]. Wuhan: Huazhong University of Science and Technology, 2011. (in Chinese)
- [16] Su Zhouping, Que Lizhi, Zhu Zhuowei, et al. Optical system design of the compact collimator for LED source [J]. *Laser & Optoelectronics Progress*, 2012, 49(2): 131-137. (in Chinese)
- [17] Gu Changxin. *Computational Physics* [M]. Shanghai: Fudan University Press, 2010. (in Chinese)
- [18] Wang L, Qian K, Luo Y. Discontinuous free-form lens design for prescribed irradiance [J]. *Applied Optics*, 2007, 46(18): 3716-3723.
- [19] Su Zhouping. *Design Methods for Non-imaging Optics* [M]. Beijing: China Machine Press, 2017. (in Chinese)



第一作者简介：胡甜甜 (1994-)，女，硕士生，主要研究方向为非成像光学设计。Email: hutiantianhttp@yeah.net



导师简介：曾春梅 (1971-)，女，副研究员，硕士生导师，博士，2010 年于苏州大学获得博士学位，主要从事成像和非成像光学设计、先进光学制造技术等方面的研究。Email: chunmei_zeng@suda.edu.cn (通信联系人)